



Lenovo C300



Lenovo C300



Lenovo C300



Lenovo C300



Lenovo C300



Lenovo C300

Type-model	Processor	GHz	Memory	Widescreen display	Camera (mega-pixel)	Graphics	SATA disk	SATA optical	Mini PCIe 802.11 wireless	Color	Blue-tooth	KBD	Mouse	Preload	Avail date
3012-1AU	Atom 230	1.60	1GB	20" WXGA++	1.3	GMA	160GB ⁸	DVD±RW	11b/g ²⁸	Black	None	PS/2	USB	XP Home	Jun 09
3012-1JU	Atom 230	1.60	1GB	20" WXGA++	1.3	GMA	160GB	DVD±RW	11b/g	Black	None	PS/2	USB	XP Home	Sep 09
3012-1OU	Atom 230	1.60	2GB	20" WXGA++	1.3	GMA	320GB	DVD±RW	11b/g	Black	None	PS/2	USB	Home Basic	Sep 09
3012-1EU	Atom 230	1.60	3GB	20" WXGA++	1.3	GMA	320GB	DVD±RW	11b/g	Black	None	PS/2	USB	Home Basic	Jun 09
3012-1RU	Atom 230	1.60	3GB	20" WXGA++	1.3	GMA	500GB	DVD±RW	11b/g	Black	None	PS/2	USB	Prem 32	Sep 09
3012-2DU	Atom 330	1.60	4GB	20" WXGA++	1.3	HD 4530	640GB	DVD±RW	11b/g	Black	None	PS/2	USB	Prem 32	Jun 09

- **All-In-One design with 20" 16:9 widescreen**
- **Lenovo® Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows**
- **Advanced hinge design allows changing the screen angle with only one hand, and resting the screen angle at any intermediate position between 12° and 40°**

Processor	Intel® Atom™ processor 230 with single-core, Hyper-Threading technology, Intel 64 Technology, Execute Disable Bit, 533MHz system bus, and 512KB L2 cache or Intel Atom processor 330 with dual-core , Hyper-Threading technology, Intel 64 Technology, Execute Disable Bit, 533MHz system bus, and 1MB L2 cache	Preloaded operating system²⁰ <ul style="list-style-type: none"> - <i>Some:</i> Genuine Windows® XP Home Edition - <i>Some:</i> Genuine Windows Vista® Home Basic 32 - <i>Some:</i> Genuine Windows Vista Home Premium 32 Preloaded applications¹⁴ <ul style="list-style-type: none"> • Lenovo OneKey Recovery • Driver and Application Installation • Trend Micro™ PC-cillin™ Internet Security 2008 • Windows Live™ Toolbar (Vista Models) • Cyberlink Power2Go (DVD±RW) • Corel® WinDVD®
Memory	1GB, 3GB, or 4GB std / 4GB max ⁷ / PC2-5300 667MHz DDR2 , non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available <i>Non-italics:</i> standard memory in one socket; one socket available	
SATA DVD±RW SATA disk	DVD burner, dual-layer support, fixed, removable, 12.7mm, tray-in 160GB, 320GB, 500GB, or 640GB , SATA 3.0Gb/s, 3.5" wide, 7200 rpm	
Widescreen display	20" (508mm) WXGA++ (1600x900) TFT color , anti-glare, CCFL backlight, 300 nits, 16:9 aspect ratio, 1000:1 contrast ratio	
Camera Controls	Camera on top of screen, 1.3-megapixel, fixed focus, with mono microphone Brightness up/down buttons, display on/off button, and power button	
Graphics	<i>Some:</i> Intel Graphics Media Accelerator 950 (GMA 950) , integrated graphics in 945GC, uses main memory <i>Some:</i> ATI™ Mobility Radeon™ HD 4530 , PCI Express® x16, 512MB memory, DirectX® 10, ATI Avivo™ HD	
Chipset	Intel 945GC Express Chipset , I/O Controller Hub 7 [ICH7] (SATA 3.0Gb/s, ethernet MAC, USB, LPC bus)	
Multicard reader	6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™)	
Ports	<i>Rear:</i> Four USB 2.0, ethernet (RJ-45), keyboard (PS/2), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard) <i>Left:</i> Two USB 2.0	
Mini PCI Express 11b/g ²⁸ TV tuner Bluetooth™ Modem Ethernet Audio support	One Mini PCI Express slot 11b/g wireless ⁴ , Mini PCIe adapter, Broadcom® BCM4312 None None None 10/100 ethernet on planar, Intel 82562G High Definition (HD) Audio, RealTek® ALC662 codec / two stereo speakers (2 watt) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm)	
Security	Power-on password, supervisor password, security lockhole	120-watt AC adapter RoHS-compliant
Keyboard Mouse Remote control	PS/2 full-size keyboard USB Optical Wheel Mouse None	Limited Warranty¹² <ul style="list-style-type: none"> ↪ 1-year parts and labor ↪ Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts²³, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time) ↪ Service upgrade options (in eligible locations):⁹ <ul style="list-style-type: none"> • 3-year Lenovo Onsite Repair 9x5 Next Business Day (43R8882) • 24x7¹⁶ toll-free support for warranty issues during the warranty period¹² via 877-453-6686
Dimensions ³	(<i>WxHxD</i>): 19.05" x 14.12" x 3.28"; 484mm x 359mm x 83mm	
Weight ²	13.8 lb (6.26 kg)	
Chassis Stand	Black color Fold-away stand (adjustable between 12° and 40°)	

See footnotes for important warranty information

US models announced September 10, 2009; previous models on June 24, 2009

Type-model	Processor	GHz	Memory	Widescreen display	Camera (mega-pixel)	Discrete graphics	SATA disk	SATA optical	TV tuner	Remote control	Mini PCIe 802.11 wireless	Color	Blue-tooth	Win7 preload	Avail date
3012-2VU	Atom 330	1.60	2GB	20" WXGA++	1.3M	HD 4530	320GB ⁸	DVD±RW	None	None	11b/g ²⁸	Black	None	Prem 32	Dec 09
3012-2KU	Atom 330	1.60	3GB	20" WXGA++	1.3M	HD 4530	500GB	DVD±RW	None	None	11b/g	Black	None	Prem 32	Nov 09

- **All-In-One design with 20" 16:9 widescreen**
- **Lenovo® Rescue System provides OneKey recovery without booting into Windows**
- **Advanced hinge design allows changing the screen angle with only one hand, and resting the screen angle at any intermediate position between 12° and 40°**

Processor	Intel® Atom™ processor 330 with dual-core, Hyper-Threading Technology, Intel 64 Technology, Execute Disable Bit, 533MHz system bus, and 1MB L2 cache	Preloaded operating system²⁰ - Genuine Windows® 7 Home Premium 32 Preloaded applications¹⁴ (only some listed) <ul style="list-style-type: none"> • Lenovo OneKey Recovery • Driver and Application Installation • McAfee® VirusScan® Plus 2009 (60 days of virus definitions) • Cyberlink Power2Go (DVD±RW) • Corel® WinDVD®
Memory	2GB or 3GB std / 4GB max ⁷ / PC2-5300 667MHz DDR2 , non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available; <i>Non-Italics:</i> standard memory in one sockets; one sockets available	
SATA DVD±RW	DVD burner, dual-layer support, fixed, removable, 12.7mm, tray-in	
SATA disk	320GB or 500GB , SATA 3.0Gb/s, 3.5" wide, 7200 rpm	
Widescreen display	20" (508mm) WXGA++ (1600x900) TFT color , anti-glare, CCFL backlight, 300 nits, 16:9 aspect ratio, 1000:1 contrast ratio	
Camera	Camera on top of screen, 1.3-megapixel, fixed focus, with mono microphone	
Controls	Brightness up/down buttons, display on/off buttons, and power button	
Discrete Graphics	ATI™ Mobility Radeon™ HD 4530 , PCI Express® x16, 512MB memory, DirectX® 10, ATI Avivo™ HD	
Chipset	Intel 945GC Express Chipset , I/O Controller Hub 7 [ICH7] (SATA 3.0Gb/s, ethernet MAC, USB, LPC bus)	
Multicard reader	6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™)	
Ports	<i>Rear:</i> Four USB 2.0, ethernet (RJ-45), keyboard (PS/2), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard) <i>Left:</i> Two USB 2.0	
Mini PCI Express	One Mini PCI Express slot	120-watt AC adapter RoHS-compliant
11b/g ²⁸	11b/g wireless ⁴ , Mini PCIe adapter, Broadcom® BCM4312	Limited Warranty¹² ⇨ 1-year parts and labor ⇨ Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts²³, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time) ⇨ Service upgrade options (in eligible locations):⁹ <ul style="list-style-type: none"> • 3-year Lenovo Onsite Repair 9x5 Next Business Day (43R8882) • 24x7¹⁶ toll-free support for warranty issues during the warranty period¹² via 877-453-6686
TV tuner	None	
Bluetooth™	None	
Modem	None	
Ethernet	10/100 ethernet on planar, Intel 82562G	
Audio support	High Definition (HD) Audio, RealTek® ALC662 codec / two stereo speakers (2 watt) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm)	
Security	Power-on password, supervisor password, security lockhole	
Keyboard	PS/2 full-size keyboard	
Mouse	USB Optical Wheel Mouse	
Remote control	None	
Dimensions ³	(WxHxD): 19.05" x 14.12" x 3.28"; 484mm x 359mm x 83mm	
Weight ²	13.8 lb (6.26 kg)	
Chassis	Black color	
Stand	Fold-away stand (adjustable between 12° and 40°)	

See footnotes for important warranty information

US model announced December 17, 2009; previous model on November 3, 2009

© Lenovo (CRB1-2) December 2009



Lenovo C315



Lenovo C315



Lenovo C315



Lenovo C315

Type-model	Processor	GHz	Memory	Wide-screen display	Multi-Touch screen	Camera (mega-pixel)	Discrete graphics	SATA disk	SATA optical	TV tuner	Remote control	PCIe Mini Card 802.11	Blue-tooth	Win7 preload	Avail date
4022-1AU	Athlon II X2 250u	1.60	2GB	20" HD+	Multi	0.3M	HD 4530	320GB ⁸	DVD±RW	None	None	11b/g ²⁸	None	Prem 32	Apr 10

- **All-In-One design with 20" 16:9 multi-touch screen**
- **Lenovo® Rescue System provides OneKey recovery without booting into Windows**
- **Advanced hinge design allows changing the screen angle with only one hand, and resting the screen angle at any intermediate position between 12° and 40°**

Processor	AMD® Athlon™ II X2 Processor 250u with dual-core, 3200MHz HyperTransport™ Bus, AMD Virtualization™ (AMD-V™) technology, AMD64 technology, int DDR2 memory controller, and 2MB L2 cache (1MB per core)	Preloaded operating system²⁰ - Genuine Windows® 7 Home Premium 32
Memory	2GB std / 4GB max ⁷ / PC2-5300 667MHz DDR2 , non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; <i>Non-Italics:</i> standard memory in one sockets; one socket available	Preloaded applications¹⁴ (only some listed) • Lenovo OneKey Recovery • Driver and Application Installation • McAfee® VirusScan® Plus 2009 (60 days of virus definitions) • Cyberlink Power2Go (DVD±RW) • Lenovo IdeaTouch – PowerCinema – Lenovo VeriTouch – AutoCollage Touch • Windows Live Essential • Microsoft® Office 2007 Trial (60-day)
SATA DVD±RW SATA disk	DVD burner, dual-layer support, fixed, removable, 12.7mm, tray-in 320GB , SATA 3.0Gb/s, 3.5" wide, 7200 rpm	120-watt AC adapter RoHS-compliant
Widescreen display	20" (508mm) HD+ (1600x900) TFT color , anti-glare, CCFL backlight, 250 nits, 16:9 aspect ratio, 1000:1 contrast ratio, MultiTouch	
Camera	Camera on top of screen, 0.3-megapixel, fixed focus, with mono microphone	Limited Warranty¹² ↪ 1-year parts and labor ↪ Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts²³, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time) ↪ Service upgrade options (in eligible locations):⁹ • 2-year Lenovo In-Home Repair 9x5 Next Business Day (78Y1552) • 3-year Lenovo In-Home Repair 9x5 Next Business Day (78Y1553) ↪ 24x7¹⁶ toll-free support for warranty issues during the warranty period¹² via 877-453-6686
Camera Controls	Power button, touch-sensitive buttons for brightness +/-, volume +/-, and display on/off	
Discrete Graphics	ATI™ Mobility Radeon™ HD 4530 , PCI Express® x16, 512MB memory, DirectX® 10, ATI Avivo™ HD	
Chipset	AMD 690M Chipset , SB600 south bridge	
Multicard reader	6-in-1 reader (MultiMedia Card, Memory Stick PRO™, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™)	
Ports	<i>Rear:</i> Four USB 2.0, ethernet (RJ-45), keyboard (PS/2), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard) <i>Side:</i> Two USB 2.0	
PCIe Mini Card	Two Mini PCI Express Mini Card slots	
11b/g ²⁸	11b/g wireless ⁴ , Mini PCIe adapter, Broadcom® BCM4312	
TV tuner	None	
Bluetooth™	None	
Modem	None	
Ethernet	10/100 ethernet on planar, Broadcom® BCM5787	
Audio support	High Definition (HD) Audio, RealTek® ALC262 codec / two stereo speakers (2 watt) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm)	
Security	Power-on password, supervisor password, security lockhole	
Keyboard	PS/2 full-size keyboard, black	
Mouse	USB Optical Wheel Mouse, black	
Remote control	None	
Dimensions ³	(<i>WxHxD</i>): 19.05" x 14.12" x 2.56"; 484mm x 359mm x 65mm	
Weight ²	16.3 lb (7.4 kg)	
Chassis	Front bezel: brown color; back bezel: black color	
Stand	Fold-away stand (adjustable between 12° and 40°)	

See footnotes for important warranty information
US model announced April 28, 2010

© Lenovo
(BHM1-2) April 2010

Lenovo® C315 (4022) - Windows 7 (Web models)

Type-model	Processor	GHz	Memory	Wide-screen display	Multi-Touch screen	Camera (mega-pixel)	Discrete graphics	SATA disk	SATA optical	TV tuner	Remote control	PCIe Mini Card 802.11	Blue-tooth	Win7 preload	Avail date
4022-1FU	Athlon II X2 250u	1.60	2GB	20" HD+	Multi	0.3M	HD 4530	320GB ⁸	DVD±RW	TV	Remote	11b/g ²⁸	None	Prem 32	Apr 10
4022-1GU	Athlon II X2 250u	1.60	4GB	20" HD+	Multi	0.3M	HD 4530	500GB	DVD±RW	TV	Remote	11b/g	None	Prem 64	Apr 10

- **All-In-One design with 20" 16:9 multi-touch screen**
- **Lenovo® Rescue System provides OneKey recovery without booting into Windows**
- **Advanced hinge design allows changing the screen angle with only one hand, and resting the screen angle at any intermediate position between 12° and 40°**

Processor	AMD® Athlon™ II X2 Processor 250u with dual-core, 3200MHz HyperTransport™ Bus, AMD Virtualization™ (AMD-V™) technology, AMD64 technology, int DDR2 memory controller, and 2MB L2 cache (1MB per core)	Preloaded operating system²⁰ - Some: Genuine Windows® 7 Home Premium 32 - Some: Genuine Windows 7 Home Premium 64 Preloaded applications¹⁴ (only some listed) • Lenovo OneKey Recovery • Driver and Application Installation • McAfee® VirusScan® Plus 2009 (60 days of virus definitions) • Cyberlink Power2Go (DVD±RW) • Lenovo IdeaTouch - PowerCinema - Lenovo VeriTouch - AutoCollage Touch • Windows Live Essential • Microsoft® Office 2007 Trial (60-day)
Memory	2GB or 4GB std / 4GB max ⁷ / PC2-5300 667MHz DDR2 , non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available; <i>Non-Italics:</i> standard memory in one sockets; one socket available	
SATA DVD±RW SATA disk	DVD burner, dual-layer support, fixed, removable, 12.7mm, tray-in 320GB or 500GB , SATA 3.0Gb/s, 3.5" wide, 7200 rpm	
Widescreen display	20" (508mm) HD+ (1600x900) TFT color , anti-glare, CCFL backlight, 250 nits, 16:9 aspect ratio, 1000:1 contrast ratio, MultiTouch	
Camera Controls	Camera on top of screen, 0.3-megapixel, fixed focus, with mono microphone Power button, touch-sensitive buttons for brightness +/-, volume +/-, and display on/off	
Discrete Graphics	ATI™ Mobility Radeon™ HD 4530 , PCI Express® x16, 512MB memory, DirectX® 10, ATI Avivo™ HD	
Chipset Multicard reader	AMD 690M Chipset , SB600 south bridge 6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™)	
Ports	<i>Rear:</i> Four USB 2.0, ethernet (RJ-45), keyboard (PS/2), TV antenna connector, IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard) <i>Side:</i> Two USB 2.0	
PCIe Mini Card 11b/g ²⁸ TV tuner	Two Mini PCI Express Mini Card slots 11b/g wireless ⁴ , Mini PCIe adapter, Broadcom® BCM4312 AverMedia Hybrid TV MiniCard A317, PCIe Mini Card adapter, supports analog (NTSC) and digital (ATSC) signal	
Bluetooth™ Modem Ethernet Audio support	None None 10/100 ethernet on planar, Broadcom® BCM5787 High Definition (HD) Audio, RealTek® ALC262 codec / two stereo speakers (2 watt) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm)	
Security	Power-on password, supervisor password, security lockhole	
Keyboard Mouse Remote control	PS/2 full-size keyboard, black USB Optical Wheel Mouse, black Philips®Win7 MCE remote control (40-button)	
Dimensions ³ Weight ² Chassis Stand	(WxHxD): 19.05" x 14.12" x 2.56"; 484mm x 359mm x 65mm 16.3 lb (7.4 kg) Front bezel: brown color; back bezel: black color Fold-away stand (adjustable between 12° and 40°)	
		Limited Warranty¹² ⇨ 1-year parts and labor ⇨ Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts²³, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time) ⇨ Service upgrade options (in eligible locations):⁹ • 2-year Lenovo In-Home Repair 9x5 Next Business Day (78Y1552) • 3-year Lenovo In-Home Repair 9x5 Next Business Day (78Y1553) ⇨ 24x7¹⁶ toll-free support for warranty issues during the warranty period¹² via 877-453-6686

See footnotes for important warranty information
US models announced April 28, 2010

**Partial list of Lenovo® Care Services²²
for Lenovo Essential desktops**

For more information see:

http://www.lenovo.com/services_warranty/us/en/index.html

Lenovo Care service upgrade options

Lenovo Essential C Series desktops with 1-year Onsite warranty

2-year Lenovo Onsite Repair warranty 9x5	78Y1552
3-year Lenovo Onsite Repair warranty 9x5	78Y1553

Lenovo Essential H Series desktops with 1-year Onsite warranty

2-year Lenovo Onsite Repair warranty 9x5	78Y1552
3-year Lenovo Onsite Repair warranty 9x5	78Y1551

Availability: All offers subject to availability. Lenovo reserves the right to alter product offerings and specifications at any time, without notice. Lenovo is not responsible for photographic or typographic errors.

Warranty: For a copy of applicable product warranties, write to: Warranty Information, P.O. Box 12195, RTP, NC, 27709, Attn: Dept ZPYA/B676. Lenovo makes no representation or warranty regarding third party products or services.

Footnotes:

- ¹ Power management, including Intel® SpeedStep® Technology, reduces processor speed when in battery mode.
- ² **Weight** includes battery and standard optical drive; weight may vary due to vendor components, manufacturing process and options.
- ³ **Thinness** may vary at certain points on the system.
- ⁴ **Wireless capability:** Requires compatible wireless-enabled options sold separately.
- ⁵ **Post-warranty annual maintenance agreement:** Service begins at the end of the base warranty or the end of any other applied warranty and maintenance option, whichever occurs last. Service delivery is not available the same day the maintenance agreement is purchased. Maintenance agreements must be purchased and the registration successfully completed prior to the service being available.
- ⁶ **Public network download modem speeds** are limited to 53Kbps. Upload speeds are limited to 48Kbps for V.92 modems. Actual speeds depend on many factors and are often less than the maximum possible. V.92 functions and speeds require compatible phone line and server equipment. Check with your telephone and ISP service providers for availability.
- ⁷ **Maximum memory capacity** may require the replacement of standard component with largest supported component available. On systems, even though it is possible to physically install 4GB of memory, the actual amount of memory addressable by a 32-bit operating system will be limited to 3GB. This limitation does not exist with 64-bit operating systems.
- ⁸ **Hard drive:** GB = billion bytes, TB = trillion bytes. Accessible capacity is less; up to 4GB is service partition.
- ⁹ **Service upgrade options:** Service period begins with the equipment date of purchase. Service must be purchased during the original limited product warranty period. Service levels are response time objectives and are not guarantees.
- ¹⁰ **Battery:** These model numbers achieved the battery life based on MobileMark® 2007 during testing. Battery life (and recharge times) will vary based on many factors including screen brightness, applications, features, power management, battery conditioning, and other customer preferences.
- ¹¹ **Wireless:** Based on IEEE 802.11a, 802.11b, and 802.11g respectively. An adapter with 11a/b, 11b/g, or 11a/b/g can communicate on either/any of these listed formats respectively, the actual connection will be based on the access point to which it connects.
- ¹² **Limited warranty:** Support unrelated to a warranty issue may be subject to additional charges.
- ¹³ **Onsite Repair:** If a machine is listed as having "On-site", this means that on-site service is available for the replacement of parts for warranty repairs. Certain parts, referred to as Customer Replaceable Unit ("CRU") parts, are easy to install and require little or no tools or technical knowledge. Some examples of CRU parts are mice, keyboards, hard disk drives, speakers, and memory. If your problem can be resolved with a CRU, the Support Center will offer to ship the part to you for you to install.
- ¹⁴ **Included software** may differ from its retail version (if available), and may not include user manuals or all program functionality. Software license agreements may apply.
- ¹⁵ **Modem speeds:** Public network download speeds are limited to 53Kbps. Upload speeds are limited to 48Kbps for V.92 modems. Actual speeds depend on many factors and are often less than the maximum possible. V.92 functions and speeds require compatible phone line and server equipment. Check with your telephone and ISP service providers for availability.
- ¹⁶ **Response times may vary.** May exclude some holidays. Telephone support may be subject to additional charges.
- ¹⁷ **International Warranty Service** is available for most products in any country in which this product is sold and serviced. Service delivery methods and parts availability vary by country, may be different from that in the country of purchase, and are subject to change without notice. Fees and restrictions may apply in some countries.
- ¹⁸ **Telephone support** may be subject to additional charges, even during the limited warranty period. Response times may vary and may exclude some holidays.
- ¹⁹ **Depot repair service:** In the United States call 1-877-453-6686. The customer may be asked certain diagnostic questions before a courier is sent. Your purchase includes this depot repair service, available in the U.S. during the limited warranty period.
- ²⁰ **Operating System:** Level of support varies by operating system. Operating systems not preloaded on the system may not provide full feature functionality. Refer to lenovo.com/pc/support and enter your machine type and model number for more information.
- ²¹ **For combination drives,** maximum possible speeds only are given in the following order: CD write, CD rewrite, CD read, DVD read.
- ²² **Lenovo Care Services:** These services are available for machines normally used for business, professional, or trade purposes, rather than personal, family, or household purposes. Not all machine types and models are covered. Service period begins with the equipment date of purchase. Service must be purchased during the original limited product warranty period. Service levels are response time objectives and are not guarantees. If the machine problem turns out to be a Customer Replaceable Unit (CRU), a part can be express shipped to you for quick replacement. For notebooks requiring LCD or other component replacement, Lenovo may choose to perform service at the depot repair center. Calls must be received by 5 pm local time in order to qualify for Next Business Day service. P&L means parts and labor. P/U means pick-up. See terms and conditions for complete details and restrictions.

²³ **Customer Replacement Units (CRUs)** are designed to be replaced by customers during the applicable warranty period. Lenovo will send a technician onsite to perform a repair if remote telephone diagnosis does not isolate the problem, if customer replaceable parts are unable to resolve the problem, or at the request of the customer. For a list of customer replaceable parts, contact Lenovo. Support unrelated to a warranty issue may be subject to additional charges.

²⁵ **Wireless WAN Cards:** Wireless data service requires separate agreement with Verizon Wireless. Verizon Wireless, not Lenovo, is solely responsible for service. Monthly and airtime charges may apply. Service may not be available in all areas; purchaser is responsible for verifying with Verizon Wireless that service is available for the intended location before the purchase of the card. For complete details, including service plans, additional required hardware or software, and service coverage, visit www.verizonwireless.com.

²⁸ **The IEEE 802.11n specification (MIMO)** has been finalized and is currently in IEEE 802.11n-2009 release. The maximum speed depends on the access point device and the number of integrated antenna used for connection. An adapter with 11a/b, 11a/b/g, 11b/g/n, or 11a/b/g/n can communicate on any of its supported formats.



This publication was developed for products and services offered in the United States. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications and other product information at any time without prior notice. Lenovo is not responsible for photographic or typographical errors. **LENOVO PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions; therefore this disclaimer may not apply to you.

Trademarks: Lenovo, the Lenovo logo, New World. New Thinking., Access Connections, Rescue and Recovery, ThinkVantage, and ThinkVision are trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. AMD, the AMD logo, AMD Athlon, AMD Sempron, and combinations thereof, are trademarks of Advanced Micro Devices, Inc. PCI Express is a trademark of PCI-SIG. Other company, product, or service names may be trademarks or service marks of others.

Visit www.lenovo.com/safecomputing periodically for the latest information on safe and effective computing.

Visit www.lenovo.com/psref for the latest version of Personal Systems Reference.

© Lenovo, 2010.
All rights reserved.

Lenovo
1009 Think Place
Morrisville, NC 27560
U.S.A.

April 2010
jbook.pdf